

Introducing...



**Force Control
Industries, Inc.**

Worldwide Leader in "Oil Shear" Technology

Providing today's industries with Oil Shear Clutch and Brake Drives that delivers...

- ◆ *Flexibility*
- ◆ *Efficiency*
- ◆ *Dependability*
- ◆ *Endurance*
- ◆ *Performance*

A large selection of standard models are offered on the following pages. If a drive that suits your needs is not found in this catalog or assistance with a drive selection is desired please contact our sales engineering department. We will be pleased to provide our products, technology and over 30 years of application experience to assist you.

"Built to last - Guaranteed to perform"

General Index Section Numbers

<i>Posidyne X Class Clutch & Clutch/Brakes</i>	1
<i>Posidyne Clutch & Clutch/Brakes</i>	2
<i>Posistop X Class Motor & Coupler Brakes</i>	3
<i>Posistop MB Series Motor & Coupler Brakes</i>	4
<i>Magna Shear All Electric Motor Brakes</i>	5
<i>Foot Mounted Posistop Brakes</i>	6
<i>Special Brakes</i>	7
<i>Dry Friction E-Stop Brakes</i>	8
<i>Positorq Absorber Brakes</i>	9
<i>Pneumatic Control Valves</i>	10
<i>Electronic Position Controls & Encoders</i>	11
<i>PosiDrive Servo Motors</i>	12
<i>Additional Oil Shear Products</i>	13
<i>Application Engineering Services</i>	14
<i>Unit Selection Information</i>	15
<i>General Engineering Information</i>	16

Table of Contents

The Force Control Story	a
The Basic Designs and How They Work	b
The Heart of Force Control Clutches and Brakes	c

Posidyne Oil Shear Clutch & Clutch/Brakes

Section 1 *Posidyne X Class Clutch & Clutch/Brakes (Air Actuation)*



◆ X Class Features	1.1
◆ Total Cycle Calculator.....	1.1
◆ Simplified C-Face Mounting System.....	1.2
◆ Operating and Technical Specifications.....	1.2
◆ Dimensional Specifications	1.3
◆ Unit Size Selection Chart	1.3
◆ Accessories and Kits	1.4
◆ How to Order Your <i>Posidyne X Class Clutch/Brake</i>	1.4

Section 2 *Posidyne Clutch & Clutch/Brakes (Air Actuation)*



<i>Posidyne Clutch/Brakes</i>	
◆ Major Advantages	2.1
◆ Typical Applications	2.3
<i>Size 1.5 Posidyne Clutch/Brakes</i>	
◆ General Description and Features	2.4
◆ Specifications (<i>Size 1.5</i>).....	2.5
◆ Input Module Dimensions	2.6
◆ Output Module Dimensions	2.7
◆ How To Order Your 1.5 <i>Posidyne Clutch/Brake</i>	2.8
<i>Sizes 02 to 30 Posidyne Clutch/Brakes</i>	
◆ General Description	2.9
◆ Specifications (Sizes 02 to 10)	2.10
◆ Specifications (Sizes 11 to 30).....	2.11
◆ External Cooling System	2.11
◆ Dimensions (Basic <i>Posidyne</i>)	2.12
◆ Dimensions (C-Face Mounting for Sizes 02, 2.5 & 03)	2.13
◆ Dimensions (With Optical Encoder)	2.13
◆ Dimensions (C-Face Long Coupled Input for Sizes 02, 2.5 & 03).....	2.14
◆ Dimensions (With Manifold Mounted Control Valve)	2.14
◆ Dimensions (Piggyback Mounting Options)	2.15
◆ Dimensions (Cooling Options)	2.15
◆ Available Options	2.16
◆ How to order your 02 to 30 <i>Posidyne Clutch/Brakes</i>	2.17

Section 3 *Posistop X Class Motor & Coupler Brakes (Air Actuation)*



◆ Description and Features.....	3.1
◆ Simplified C-Face Mounting.....	3.2
◆ Mounting Configurations	3.2
◆ Unit Selection	3.2
◆ Technical Specifications	3.3
◆ Dimensions	3.4
◆ Accessories and Kits	3.5
◆ How to Order Your <i>Posistop X Class Motor or Coupler Brake</i>	3.5

Oil Shear Brakes (Continued)

Section 4 Posistop (MB Series) Motor & Coupler Brakes (Air Actuation)



- ◆ The Problem and The Solution 4.1
- ◆ Standard Design Configurations 4.2

Posistop Motor Brakes (MB Series)

- ◆ Features and Typical Applications 4.3
- ◆ Posistop Motor Brake Dimensions 4.4
- ◆ Posistop Motor Brake Specifications 4.5
- ◆ How to order your Posistop Motor Brake..... 4.6



Posistop Assembled Brake Motor (ABM)

- ◆ Features and Typical Applications 4.7
- ◆ Posistop ABM Brake Dimensions 4.8
- ◆ Posistop ABM Brake Operating Specifications 4.10
- ◆ Posistop ABM Brake Size Specifications 4.11
- ◆ How to order your Posistop Assembled Brake Motor (ABM)..... 4.12



Posistop Coupler Brakes

- ◆ Description and Features 4.13
- ◆ Standard Coupler Brake Dimensions 4.14
- ◆ Posistop Coupler Brake Specifications 4.15
- ◆ Ordering your Standard Posistop Coupler Brake 4.16

Section 5 MagnaShear Motor Brakes (Electric Actuation)



- ◆ The Problem and the Solution 5.1
- ◆ Available Models and Sizes 5.1
- ◆ Features, Description and Operation 5.2
- ◆ Typical Applications 5.3
- ◆ MSB2, MSB4 & MSB6 “Quick Mount” MagnaShear Dimensions 5.4
- ◆ MSB8 MagnaShear Dimensions 5.4
- ◆ MSB9, MSB10 & MSB12 MagnaShear Dimensions 5.5
- ◆ MagnaShear Motor Brake Technical Specifications 5.6
- ◆ Thermal Horsepower Rating 5.7
- ◆ How to Order your MSB2, MSB4 & MSB6 “Quick Mount” MagnaShear Motor Brake .. 5.8
- ◆ How to Order your MSB8, MSB9, MSB10 & MSB12 “MagnaShear Motor Brake 5.9



MagnaShear Assembled Electric Brake Motor (EBM)

- ◆ MagnaShear EBM Brake Specifications 5.10
- ◆ How to order your MagnaShear EBM 5.12

Section 6 Foot Mounted Posistop Brakes



- ◆ Foot Mounted Posistop Description 6.1
- ◆ Foot Mounted Posistop Typical Applications and Specifications 6.2
- ◆ Foot Mounted Posistop Dimensions..... 6.3
- ◆ How to order your Foot Mounted Posistop Brake..... 6.3

Section 7 Special Posistop Brakes



- ◆ Posistop Flange Mounted Brakes 7.1
- ◆ Posistop Shaft Mounted Brakes 7.1
- ◆ Posistop Mill Motor Brakes 7.2
- ◆ Posistop Servo Motor Brakes 7.2
- ◆ Posistop Brakes with Encoders 7.2

Dry Friction Brakes

Section 8 *Dry Friction E-Stop Brakes*



- ◆ Description, Features and Benefits..... 8.1
- ◆ E-Stop Brake Dimensions 8.2
- ◆ E-Stop Brake Specifications 8.3
- ◆ How to order your E-Stop Brake 8.4

Absorber Brakes

Section 9 *Positorq Absorber Brakes*



- ◆ Description and Advantages of the *Positorq* 9.1
- ◆ *Positorq* Standard Design Configurations 9.2
- ◆ *Positorq* Features and Benefits 9.3
- ◆ *Positorq* Typical Dynamometer Applications and Accessories 9.4
- ◆ *Positorq* Typical Tension Applications 9.5
- A. Positorq Absorber Brake (Sizes TB-03 to TB-20)*
- ◆ System Features and Components 9.6
- ◆ Specifications and Dimensions 9.7
- B. Positorq Absorber Brakes (Sizes TB-82 to TB-87)*
- ◆ System Features and Components 9.8
- ◆ Specifications and Dimensions 9.9
- C. Flange Mounted Positorq (Size TB-20)*
- ◆ Dimensions and Specifications 9.10
- D. Shaft Mounted Positorq (Size TB-85 & TB-87)*
- ◆ Dimensions and Specifications 9.11
- How to order your Positorq Absorber Brake*
- ◆ Tension and Dynamometer Applications 9.12
- E. Positorq Absorber Clutch (Sizes TC-02 to TC-20)*
- ◆ System Features and Components 9.13
- ◆ Specifications 9.14
- F. Forced Lube Cooling Unit*
- ◆ Description and Applications 9.15
- ◆ Forced Lube Cooling Systems 9.16

Section 10 *Pneumatic Control Valves*



- ◆ Pneumatic Control Valves 10.1
- ◆ Manifold Mounted Control Valve 10.3
- ◆ Quick Exhaust Valve 10.3
- ◆ Installation and Design Suggestions 10.4
- ◆ How to Order Your Pneumatic Control Valve 10.4

Electronic Position Controls & Encoders

Section 11 Electronic Position Controls & Encoders



(CLPC™) Closed Loop Position Controls

- ◆ Features 11.1
- ◆ CLPC Control Model LC 11.2
- ◆ CLPC-LC Description and Features 11.2
- ◆ CLPC-LC Dimensions 11.2
- ◆ CLPC-LC Typical Applications..... 11.3
- ◆ CLPC-LC Specifications 11.4
- ◆ CLPC-LC Ordering System Chart 11.5



Incremental Optical Encoder

- ◆ Basic Types, Features and Description 11.6
- ◆ Double C-Face Encoder 11.6
- ◆ Encoder Specifications 11.7
- ◆ How to order your Optical Encoder 11.8

PosiDrive Servo Systems

Section 12 PosiDrive Servo Systems



- ◆ PosiDrive Servo System Features and Benefits 12.1
- ◆ PosiDrive Servo Motor and Amplifier Specifications 12.2
- ◆ PosiDrive Enclosure Dimensions 12.2
- ◆ PosiDrive Servo Motor Dimensions 12.3

Additional Oil Shear Products

Section 13 Additional Oil Shear Products

- ◆ Posidyne Multi-Speed Drive (MSDr) 13.1
- ◆ Posidyne Multi-Speed Mechanical Feed Drive..... 13.1
- ◆ Posidyne High speed Reversing Drive (HSRvD) 13.1
- ◆ Posidyne Two Speed Drive (TSDr) 13.2
- ◆ MagnaShear Two Speed Drive (Electric Actuation)..... 13.2
- ◆ Posidyne Electro-Hydraulic Clutch/Brakes 13.3
- ◆ Posidyne Packaged Machine Drives..... 13.4

Section 14 Application Engineering Services

- ◆ Application Engineering Services 14.1
- ◆ Application Engineering Services (*Concluded*)..... 14.2

Unit Selection Procedure

Section 15 **Unit Selection**

How To Select The Correct Posidyne Clutch/Brake

◆ Step 1 - Control Logic.....	15.1
◆ Step 2 - Static Torque	15.3
◆ Step 3 - Dynamic Torque	15.4
◆ Step 4 - Thermal Energy per Engagement	15.4
◆ Step 5 - Thermal Horsepower	15.5
◆ Step 6 - Overhung Loads	15.5
◆ <i>Posidyne</i> Logic Specifications (<i>Pressure vs. Static Torque</i>)	15.6

How To Select The Correct Posistop Brake

◆ How to Select the Correct <i>Posistop</i> Motor Brake	15.9
---	------

How To Select The Correct Positorq Absorber Brake

◆ Dynamometer Application	15.10
◆ Tension Application	15.11
◆ Tension Brake Selection for Unwind Application	15.12
Torque Requirements for Tension Brake	15.13
Thermal Horsepower for Tension Brake	15.14

General Engineering Information

Section 16 **Engineering Information**

Engineering Information

◆ Dynamic Torque	16.1
◆ Inertial Torque.....	16.2
◆ Calculating Inertia and Reflecting it to the Clutch/Brake.....	16.3
◆ Determining Dynamic Torque Capacity for Clutch/Brake	16.5
◆ Solving for Static Equilibrium.....	16.6
◆ Dynamic Torque Analysis	16.7
◆ Thermal Energy Analysis.....	16.8
◆ Technical Data - English/Metric Conversion	16.9
Torque & Rotary Inertia Conversion Factors.....	16.10
◆ Useful Formulas	16.11
◆ Inertial Table (WK ² of Steel Shafting and Discs)	16.12
◆ Motor Formulas	16.13
◆ Motor Information.....	16.13
◆ Motor Dimensions	16.14
◆ Unit Weights	16.15
◆ Unit Weights (Continued)	16.16