## V47 Composite Disc Coupling Solution





||||||||||||ZERO-MAX

MEX (55) 53 63 23 31 MTY (81) 83 54 10 18 QRO (442) 1 95 72 60 ventas@industrialmagza.com





Zero Max Composite Disc Wind Turbine Couplings are designed to exceed the typical operational life of a normal driveline coupling. This model will directly interchange with the original high speed shaft coupling.

Zero-Max has designed and manufactured driveline couplings for industry since 1984. Today, Zero-Max is a trusted and approved driveline coupling supplier to Wind Turbine Manufacturers around the globe.

We understand the special requirements for this unique industry.

- •Lower Life Cycle Cost (LCC)
- •Composite material is designed and tested to withstand a wide range of environmental conditions
- •Fully tested and refined to handle loads beyond the needs of the application
- •Lightweight design for easy installation drops in between the existing flanges
- Repeatable consistent quality
- •Suitable for use in turbines that are operating in areas with difficult power grid conditions
- Maintenance free









**Performance Information** 

5,000 Nm Continuous Torque Rating 10.000 Nm Peak Torque Rating **Torsional Stiffness** 9,768 Nm /Degree Axial Stiffness 138 N / mm Maximum Parallel Misalignment 11.5mm Maximum Angular Misalignment 1.5 Degrees Maximum Axial Displacement 5<sub>mm</sub>







www.zero-max.com Phone 800.533.1731 763.546.4300 Fax 763.546.8260



www.zero-max.dk Tel.: +45 86 81 22 88 Fax: +45 86 81 53 88

ISO 9001:2000 Certified U.S. Manufacturing Facility



ISO 9001:2000 Certified Denmark Manufacturing Facility



